



Cleaner Water *Starts Here*

FAUCET-MOUNTED SEDIMENT FILTER

Pontis Co., LTD.

The filter that shows you what it catches.

A premium faucet filter that captures rust and visible sediment from your tap — and lets you **see it happen**.



One small filter. A clear view of your water, every day.

AQUABELL is a sediment water filter — not a drinking-water purifier. It does not remove bacteria, heavy metals or other dissolved substances.

See what *reaches your tap*

We use water every day, but rarely see what happens before it reaches the tap. AQUABELL makes that final step visible.



01

For Washing

From morning wash to evening cleanse.



02

For Cooking

Every rinse and every recipe.



03

For everyday routines

Small routines, every day.

Treated water still travels through pipes *before it reaches your tap*

Water leaves the treatment plant clean. What happens next depends on the building it travels through.



TREATMENT
Managed at source



CITY PIPES
On its way home



BUILDING PIPES
The final variable



YOUR FAUCET
Where it reaches you

Water quality varies by region, building age, and plumbing condition.

Why it shows up

at your tap



01

Aging pipes

In older buildings, water runs through pipework where rust and deposits build up over the years.



02

Storage tanks

Shared rooftop tanks can collect fine sediment before the water ever reaches your tap.



03

Repairs nearby

Pipe work down the street can stir up particles that show at your tap for a day or two.

Filter it. *Then see it for yourself*

AQUABELL screws straight onto a compatible bathroom or kitchen faucet — no plumber, no pipe work. The clear housing then shows you **exactly what it caught**.



01 · FILTER

Rust and impurities,
captured.

02 · SAVE

Uses less. Feels like more.

03 · STREAM

Gentle flow. Strong
pressure.

04 · SIMPLE

Simple by design. Easy to
live with.

What ends up in *the inner filter*

01

Rust

From aging pipes and fittings

02

Sand & grit

Carried in through supply lines

03

Pipe sediment

Deposits loosened over time

04

Visible particles

Small debris you can actually see



Held in the filter. Not in the water.

Dense micro-fibre media physically captures rust, sediment, and visible particles.

Simple outside, *Considered inside*




A finer opening.

A stronger stream

An ordinary faucet pushes water through a few wide holes. AQUABELL divides the same flow across dozens of hairline jets.


ORDINARY FAUCET



Few, wide openings

Loose column · water easily
wasted

AQUABELL



**Dozens of ultra-fine
openings**

Concentrated · Even · Smooth

Perceived flow varies with household water pressure, faucet type and filter condition.

Before you order

one small check

AQUABELL screws onto the thread behind your faucet's removable tip. If that tip unscrews, you're good to go.



Bathroom faucet with a removable tip	✓ Fits
Bath/shower tap with a removable tip	✓ Fits
Flexible-neck kitchen faucet	✓ Fits
Fixed or integrated outlet	✗ Doesn't
Pull-out spray head	✗ Doesn't

Shape isn't proof. Twist the tip off first — then check the thread.

How to install AQUABELL

in three steps



01

Unscrew the tip.

Use the enclosed spanner if needed.



02

Choose the adapter. Screw it on.

Pick the matching adapter from the 10 included, then screw AQUABELL into place.



03

Run. Check. Done.

Run the water and check for leaks.

A dark filter isn't a fault.

It's the receipt



NEW CARTRIDGE

AFTER 2 MONTHS

It looks noticeably dark

You can read the filter through the housing, no need to open anything.

The flow drops

A noticeable drop in flow compared with a fresh filter.

Typical cycle 1–2 months. Faster darkening is not a defect — it means more particles are being captured. Actual timing varies with local water quality, plumbing and daily use.

Everything you need.

Nothing else to buy

AQUABELL Faucet Filter	× 1
------------------------	-----

Pre-installed Filter Cartridge	× 1
--------------------------------	-----

Faucet Adapters	× 10
-----------------	------

Spanner	× 1
---------	-----



The adapters in the box are the final reference — these figures are here to help you check before you buy. Adapter types and quantities may vary by country or region.

Ten adapters.

One that fits yours

Unscrew the faucet tip, then choose the adapter that matches the exposed thread.



The details

PRODUCT	AQUABELL Faucet-Mounted Sediment Filter
SIZE	Approx. Ø49 mm × H48 mm · Inner filter Ø35 mm × H23 mm
ADAPTERS	10 faucet adapters included
MATERIALS	Filter Body — Polycarbonate (PC) · Adapters — ABS · Spray Plate — Stainless Steel
INNER FILTER	Micro sediment media with calcium sulfite (CaSO ₃) media
FOR USE WITH	Compatible bathroom and kitchen faucets with a removable tip
DOES NOT FIT	Fixed or integrated outlets · pull-out spray heads
CAPTURES	Rust, sand, pipe sediment and other visible particles · Helps reduce residual chlorine
REPLACEMENT	Filter cartridge — typically every 1–2 months, depending on water conditions and usage
TEMPERATURE	Do not use with water above 70°C / 158°F
IN THE BOX	Body + pre-installed cartridge + 10 adapters + spanner
ORIGIN	Made in Korea · Manufactured by Pontis Co., Ltd.

Questions, *answered*

Q. Will it fit my faucet?

AQUABELL fits compatible bathroom and kitchen faucets with a removable tip. If the tip unscrews and exposes a thread, it can usually be fitted with one of the included adapters. Fixed outlets and pull-out spray heads are not compatible.

Q. How often do I replace the cartridge?

Typically every 1–2 months. Replace sooner if it looks visibly dark through the housing or the flow noticeably drops.

Q. My filter went brown in days. Is it faulty?

No. Faster darkening usually means more visible particles are being captured. How quickly the filter changes depends on local water conditions, plumbing and usage.

Q. Do I need to flush a new cartridge?

Yes — run the tap for at least two minutes after first installation and after every cartridge change.

Good to know

- Check that your faucet has a removable tip and compatible thread before purchase.
- For use with compatible household faucets with a removable tip. Pull-out spray heads and fixed outlets are not compatible.
- Do not overtighten, as excessive force may damage the product.
- Check for leaks after installation. If it drips, close the tap and reseal the O-ring.
- Flush for at least two minutes after installation and every filter change. If the product has not been used for a long time, run the tap before use.
- Do not use with water above 70°C / 158°F.
- Replace the filter every 1–2 months, or sooner if it becomes noticeably dark or water flow decreases.
- AQUABELL is a sediment filter designed to capture rust and visible particles, while calcium sulfite media helps reduce residual chlorine. It is not a drinking-water purifier and does not remove bacteria, heavy metals or other dissolved substances.

A CLEARER DAILY STANDARD

See what your water *has been carrying*

One small filter. A clear view of your water, every day.

Write to us at team@aquabell.co.kr

aquabell.co.kr



Pontis Co., LTD.